



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/853,125	05/09/2001	Gary B. Hughes	00W088	5219

7590 02/26/2003
Raytheon Company
Bldg. EO/E01/E150
2000 East El Segundo Boulevard
P.O. Box 902
El Segundo, CA 90245

EXAMINER

KOCH, GEORGE R

ART UNIT

PAPER NUMBER

1734

DATE MAILED: 02/26/2003

Please find below and/or attached an Office communication concerning this application or proceeding.

BEST AVAILABLE COPY

Office Action Summary

Application No.

09/853,125

Applicant(s)

HUGHES ET AL.

Examiner

George R. Koch III

Art Unit

1734

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-20 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-20 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- 11) ☐ The proposed drawing correction filed on ____ is: a) ☐ approved b) ☐ disapproved by the Examiner.
- If approved, corrected drawings are required in reply to this Office action.
- 12) ☐ The oath or declaration is objected to by the Examiner.

Priority under 35 U.S.C. §§ 119 and 120

- 13) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
2. ☐ Certified copies of the priority documents have been received in Application No. ____.
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 14) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application).
- a) ☐ The translation of the foreign language provisional application has been received.
- 15) ☐ Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO-1449) Paper No(s) 2.
- 4) ☐ Interview Summary (PTO-413) Paper No(s). ____.
- 5) ☐ Notice of Informal Patent Application (PTO-152)
- 6) ☐ Other: _____.

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 6, 7, 15 and 16 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for "a sensor chip assembly *as the* first component", does not reasonably provide enablement for "a sensor chip assembly first component", when a first component is already provided for in claims 1 and 11. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims. It appears that the applicant intends to claim that a sensor chip assembly *is the* first component.
3. Claims 7 and 16 are rejected under 35 U.S.C. 112, first paragraph, because the specification, while being enabling for "a mounting platform *as the* second component", does not reasonably provide enablement for "a mounting platform second component", when a second component is already provided for in claims 1 and 11. The specification does not enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the invention commensurate in scope with these claims. It appears that the applicant intends to claim that a mounting platform *as the* second component.

Claim Rejections - 35 USC § 102

4. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

(e) the invention was described in (1) an application for patent, published under section 122(b), by another filed in the United States before the invention by the applicant for patent or (2) a patent granted on an application for patent by another filed in the United States before the invention by the applicant for patent, except that an international application filed under the treaty defined in section 351(a) shall have the effects for purposes of this subsection of an application filed in the United States only if the international application designated the United States and was published under Article 21(2) of such treaty in the English language.

Claim Rejections - 35 USC § 103

5. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

6. The factual inquiries set forth in *Graham v. John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

1. Determining the scope and contents of the prior art.
2. Ascertaining the differences between the prior art and the claims at issue.
3. Resolving the level of ordinary skill in the pertinent art.
4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

7. Claims 1-20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Salatino (US Patent 5,887,343), Chiu (US Patent 5,849, 132) and Sato (US Patent 5,985,064).

As to claim 20, Salatino discloses a method of fabricating comprising the steps of providing a sensor chip assembly and mounting platform (items 20 and 30), positioning the sensor chip in facing by spaced apart relation to the mounting platform (see, for example, figure 4), and placing a bonding medium between the sensor chip assembly and the mounting platform (item 40). Salatino discloses that the bonding medium comprises at least two malleable particles (items 37 and 38), and a quantity of uncured adhesive (see column 4, lines 30-40, which describe the film as being a thermoplastic transparent film - uncured adhesive comprises thermoplastic materials). Particles 37 and 38 are clearly intended to be spherical : note that one circular element 37 mates with each pair of the square elements of 21 and 31 (see all figures), and are positioned in the thermoplastic. Salatino discloses bonding the sensor chip to the mounting platform (see column 4, lines 44-46, which discloses bonding the sensor chip to the mounting platform). Salatino is silent as to the apparatus that bonds the two structures together, except to mention that the apparatus is a convention DCA (direct chip attachment) device (column 4, lines 46-50), and that any conventional DCA apparatus is intended to be used for the creation of the sensor chip assembly. Salatino also discloses that the heating, i.e., curing step, occurs after the joining, i.e. pressing steps (see either Figure 1 or Figure 9. In Figure 1, pressing/joining occurs at step 14 and heating occurs afterwards at step 15. Similarly, in Figure 9, pressing joining occurs at

step 63 and heating occurs at step 64. In both flowcharts there is a preliminary heating step that occurs prior to the joining of the sensor and the platform - however, this heating steps attaches the film to the sensor, and occurs prior to any joining of the sensor and platform, and this step is not excluded by the current claimed method).

Salatino can be interpreted as being silent as to the shape of the malleable spheres, whether the material used is a metal that bonds to both components when subjected to sufficiently large force, the type of material used for the malleable spheres, and the specific steps and details of using the bonding apparatus (i.e., does not disclose the bonding apparatus in detail with the steps of monitoring, controlling, and curing.)

Chiu discloses a bonding method for semiconductor bonding wherein malleable spheres are used, and the spheres are made of gold. Chiu uses these gold spheres in a sphere and adhesive bonding layer (see Figures 2a-2e). Chiu discloses that gold is particularly useful for making contacts to aluminum contacts on a semiconductor chip. Chiu also discloses that the gold spheres are positioned in the adhesive mix. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized gold spheres as the contact material in order to make highly efficient conductive pathways on conventional aluminum contacts.

Sato discloses a conventional DCA apparatus for apply a chip to a platform. Sato discloses pressing the first element into the second element, with sufficient force to bond the bonding material such that the two elements are bonded. Sato also discloses monitoring the forces of the bonding reaction and controlling the force of the bonding apparatus responsive to the monitoring. Sato discloses a load sensor (item 33) which is

operable to control the reaction force, i.e., compression force (see column 4, lines 15-30). This load sensor feeds back information which controls the compression force. One in the art would appreciate that Sato would fit as the conventional DCA apparatus recited in Salatino, and further includes benefits of controlling the pressing function in order to properly bond the article. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have utilized the bonding apparatus and control methods for generalized semiconductor component bonding as in Sato with the overall sensor assembly bonding method and article of Salatino in order to properly control the joining step of Salatino which occurs prior to curing the adhesive.

Claims 1 and 11 are rejected on similar grounds as claim 20 above.

As to claim 2 and 12, Sato discloses the claimed bonding apparatus operating steps (as noted above in the rejection of claim 20 - and see also element 61 and other control structures) which provides the limitations.

As to claims 3 and 13, Sato evaluates the stresses or loads (via the load sensor) applied and selects the stress limitations responsive to the step of evaluating the stresses. It is understood in the art of chip and die bonding that stress monitoring is done for among other reasons, to primarily avoid damaging the final product.

As to claim 4, Salatino, Chiu and Sato as applied to claim 20 discloses the claimed step. Note that in both Salatino and Chiu, the first component and second component are at some point positioned in a facing relationship. Also, as to the adhesive/electrical partical mix, both Salatino and Chiu disclose as applied in claim 20 above that adhesive is dispensed between the first and second component, and that the

spheres are positioned in the adhesive, the two components are brought into touching contact with each other, and joined. Salatino discloses that the first and second component are joined by a DCA apparatus, and Sato, a typical DCA apparatus discloses that it is known to use force in the joining.

As to claim 5 and 14, Sato discloses determining the load or stresses placed on the component. Such a set of loads or stresses would include determining the maximum stress.

As to claim 6, 7, 15 and 16, Salatino discloses that a sensor chip is the first component, and a mounting platform is the second component.

As to claim 8 and 17, Sato discloses a typical load profile (see Figure 3).

As to claims 9 and 18, Chiu discloses the use of gold spheres (see rejection of claim 20 above)

As to claim 10 and 19, Salatino as applied to claim 20 above discloses joining, and then heating. Therefore, the joining force is removed before the heating or full curing of the adhesive. Furthermore, while Sato does not disclose removing the assembly, such a step is obvious in order to create the next assembly, since the apparatus is intended to make more than one assembly.

8. Claims 9, 18 and 20 are further rejected under 35 U.S.C. 103(a) as being unpatentable over Salatino, Chiu and Sato as applied to claims 1, 11 and 20 above, and further in view of McArdle (US Patent 6,423,172 B1) or Insaka (US 5,460,667).

Salatino, Chiu, and Sato as applied to claims 1, 11, and 20 do not disclose the use of the additional Markush group member material of tin, germanium and indium for the malleable spheres. Salatino, Chiu and Sato merely provide support for the material of gold.

McArdle discloses using indium based solders, i.e., spheres, due to benefits when the solder is to be wavecoated over a previously formed gold coating. McArdle discloses that the use of indium has many advantages such as enhanced wetting and aging properties (column 8, lines 25-30). Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to have used indium as it provides enhanced wetting and aging properties. McArdle also discloses that gold and tin are known bonding solders (see column 8, lines 9-24).


Insaka discloses using Germanium and Tin as part of solder compositions. Insaka discloses an 80-20 wt% gold/tin composition and an 88/12 wt% gold-germanium composition as solder choices for the malleable spheres. One would appreciate that the proper composition would be selected based on the choice of materials used in the first and second components. Therefore, it would have been obvious to one of ordinary skill in the art at the time of the invention to use tin and germanium as the malleable sphere metals.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to George R. Koch III whose telephone number is (703) 305-3435 (TDD only). If the applicant cannot make a direct TDD-to-TDD call, the

applicant can communicate by calling the Federal Relay Service at 1-800-877-8339 and giving the operator the above TDD number. The examiner can normally be reached on M-Th 10-7.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (703) 308-3853. The fax phone numbers for the organization where this application or proceeding is assigned are (703) 305-7718 for regular communications and (703) 305-3599 for After Final communications.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is (703) 308-0661.


George R. Koch III
February 23, 2003


RICHARD CRISPINO
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700